

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((@ad<"20021112" or @rlad<"20021112") and ((configur\$4 or provision\$4) adj4 file) with (embed\$4 or script\$4) with adapt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:55
		((@ad<"20021112" or @rlad<"20021112") and (remot\$4 with (DOCSIS with (configur\$4 or provision\$4) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:45
		((@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
		((@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file) and (dynamic\$2 with adjust\$4 with (parameter\$2 or value\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
		((@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file with (polic\$4 or parameter\$2) same (dynamic\$2 with adjust\$4 with (parameter\$2 or value\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
		@ad<"20021112" or @rlad<"20021112") and (DOCSIS with (configur\$4 or provision\$4) with file) and (on or active\$2 or off or de\$1active\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
		@ad<"20021112" or @rlad<"20021112") and (((configur\$4 or provision\$4) with file\$2) same (on or active\$2 or off or de\$1active\$2) same DOCSIS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21

		@ad< "20021112" or @rlad< "20021112") and ((configur\$4 or provision\$4) with file\$2) same (on or active\$2 or off or de\$1active \$2) same DOCSIS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21
		@ad< "20021112" or @rlad< "20021112") and ((configur\$4 or provision\$4) with file\$2) same (on or active\$2 or off or de\$1active \$2) same DOCSIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:20
		@ad< "20021112" or @rlad< "20021112") and (((configur\$4 or provision \$4) with file\$2) same ((on or active\$2) with (off or de \$1active\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 18:17
S1	2	"6598057".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 11:29
S2	2	"6195689".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 11:30
S3	5	@ad< "20021112" or @rlad< "20021112") and (((configur\$4 or provision \$4) with file\$2) same ((on or active\$2) with (off or de \$1active\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 18:17
S4	2	@ad< "20021112" or @rlad< "20021112") and (((configur\$4 or provision \$4) with file\$2) same (on or active\$2 or off or de\$1active \$2) same DOCSIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21
S5	1	(@ad< "20021112" or @rlad< "20021112") and (DOCSIS with (configur\$4 or provision\$4) with file) and (on or active\$2 or off or de\$1active\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
S6	0	("7334252").URPN.	USPAT	OR	OFF	2009/10/28 18:38
S7	3	("5862451"   "6023464"   "6986157").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/28 18:38

S8	0	(@ad<"20021112" or @rlad<"20021112") and (DOCSIS with (configur\$4 or provision\$4) with file with (polic\$4 or parameter\$2) with (dynamic\$2 or on or active\$2 or off or de \$1active\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
S9	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file with (polic\$4 or parameter\$2)) same (dynamic\$2 with adjust\$4 with (parameter\$2 or value\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
S10	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file with (polic\$4 or parameter\$2)) and (dynamic\$2 with adjust\$4 with (parameter\$2 or value\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
S11	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file) and (dynamic\$2 with adjust \$4 with (parameter\$2 or value\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
S12	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur\$4 or provision\$4) with file) and (automatic\$4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
S13	313	(@ad<"20021112" or @rlad<"20021112") and (((configur\$4 or provision \$4) with file) and (automatic \$4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
S14	1	(@ad<"20021112" or @rlad<"20021112") and (((configur\$4 or provision \$4) with file) with (automatic \$4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:45

S15	0	((@ad<"20021112" or @rlad<"20021112") and (remot\$4 with DOCSIS with (configur\$4 or provision\$4) with file))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:46
S16	5	((@ad<"20021112" or @rlad<"20021112") and (remot\$4 with DOCSIS with (configur\$4 or provision\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:46
S17	6	((@ad<"20021112" or @rlad<"20021112") and (group\$4 with DOCSIS with (configur\$4 or provision\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:50
S18	1	((@ad<"20021112" or @rlad<"20021112") and (((configur\$4 or provision\$4) adj4 file) with (embed\$4 or script\$4) with adapt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:55
S19	5109	((@ad<"20021112" or @rlad<"20021112") and ((configur\$4 or provision\$4) adj4 file) and (enable or disable or (turn adj3 (on or off))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:00
S20	42	((@ad<"20021112" or @rlad<"20021112") and ((configur\$4 or provision\$4) adj4 file) and ((enable or disable or (turn adj3 (on or off)))) with (software\$2 or application\$2 or interface\$2 or GUI\$2) with (switch\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:01
S21	58	((@ad<"20021112" or @rlad<"20021112") and ((configur\$4 or provision\$4) adj4 file) and ((enable or disable or (turn adj3 (on or off)))) with (software\$2 or application\$2 or interface\$2 or GUI\$2) with (switch\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:02

S22	0	((@ad<"20021112" or @rlad<"20021112") and ((CMTS\$2 or DOCSIS) with (configur\$4 or provision\$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software\$2 or application\$2 or interface\$2 or GUI\$2) with (switch\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:10
S23	0	((@ad<"20021112" or @rlad<"20021112") and ((CMTS\$2 or DOCSIS) with (configur\$4 or provision\$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software\$2 or application\$2 or interface\$2 or GUI\$2) with (switch\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:12
S24	0	((@ad<"20021112" or @rlad<"20021112") and ((configur\$4 or provision\$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software\$2 or application\$2 or interface\$2 or GUI\$2) with (switch\$4)) and ((cable\$2 adj4 modem \$2) with embed\$4 with MTA \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:13
S25	34	((@ad<"20021112" or @rlad<"20021112") and ((cable\$2 adj4 modem\$2) with embed\$4 with (MTA\$2 or MD5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:15
S26	34	((@ad<"20021112" or @rlad<"20021112") and ((cable\$2 adj4 modem\$2) with (software\$2 or web\$6 or interface\$2 or firmware \$2)) and (embed\$4 with MTA\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:25
S27	9	((@ad<"20021112" or @rlad<"20021112") and ((cable\$2 adj4 modem\$2) with (software\$2 or web\$6 or interface\$2 or firmware \$2)) and (embed\$4 with MTA\$2 with (configur\$4 or provision\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:29

S28	0	((@ad<"20021112" or @rlad<"20021112") and (parameter\$2 with embed \$4 with MTA\$2 with (configur\$4 or provision\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:32
S29	22	((@ad<"20021112" or @rlad<"20021112") and (embed\$4 with MTA\$2) and ((parameter\$2 or value\$2) with (configur\$4 or provision \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:34
S30	0	((@ad<"20021112" or @rlad<"20021112") and (embed\$4 with MTA\$2 with (parameter\$2 or value\$2) with (configur\$4 or provision \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:36
S31	9	((@ad<"20021112" or @rlad<"20021112") and (embed\$4 with MTA\$2 with (configur\$4 or provision\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:36
S32	3105	((@ad<"20021112" or @rlad<"20021112") and (parameter\$2 with (configurat\$4 or provision \$2) with file\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:44
S33	13	((@ad<"20021112" or @rlad<"20021112") and ((parameter\$2 with (configurat\$4 or provision \$2) with file\$2) same (switch \$4 with (service\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:45
S34	589	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) same ((edit\$4 or select\$4) with parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:49
S35	396	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:52

S36	9	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (packet near4 cable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:55
S37	35	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((editor\$4 or select\$4 or interface\$2 or GUI\$2) with parameter)) and (packet near4 cable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:55
S38	0	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (embed\$4 with (MTA\$2 or CM\$2 or MD\$2 or EMTA\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:09
S39	0	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (embed\$4 with (software\$2 or application\$2) with switch \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:10
S40	0	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (embed\$4 with (software\$2 or application\$2) with (switch\$4 or toggle\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:10
S41	0	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (embed\$4 with MTA\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:11
S42	4	((@ad<"20021112" or @rlad<"20021112") and ((configurat\$4 with file\$2) with ((edit\$4 or select\$4) with parameter)) and (MTA \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:11

10/ 29/ 2009 3:04:26 PM